

PharmLabs San Diego Certificate of Analysis

Sample 20mg S'morez



Sample ID SD250214-122 (107390)

Matrix Edible

Tested for Simply 7OH

Sampled -

Received Feb 14, 2025

Reported Feb 19, 2025

Analyses executed RES, KTM

Unit Mass (g) 0.52

Laboratory note: COA Update: 2/19/25 - Updated mg/unit to reflect 1 tablet

KTM - Kratom

Analyzed Feb 14, 2025 | Instrument HPLC VWD | Method SOP-KTM

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Unit
7-hydroxy Mitragynine (7HMG)	0.008	0.025	3.48	34.84	18.12
Mitragynine (MITG)	0.018	0.054	ND	ND	ND
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND
Speciociliatine (SPCL)	0.004	0.011	ND	ND	ND

RES - Residual Solvents

Analyzed Feb 18, 2025 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.044	0.4	68.6	5000	Butane (But)	0.02	0.4	57.1	5000
Methanol (Metha)	1.176	3.92	3977.7	3000	Ethylene Oxide (EthOx)	0.08	0.4	ND	1
Pentane (Pen)	0.024	0.4	ND	5000	Ethanol (Ethan)	0.048	0.4	<LOQ	5000
Ethyl Ether (EthEt)	0.036	0.4	ND	5000	Acetone (Acet)	0.044	0.4	<LOQ	5000
Isopropanol (2-Pro)	1.16	3.868	<LOQ	5000	Acetonitrile (Acetonit)	0.888	2.952	<LOQ	410
Methylene Chloride (MetCh)	0.04	0.4	ND	1	Hexane (Hex)	0.012	0.4	51.1	290
Ethyl Acetate (EthAc)	0.032	0.4	303.1	5000	Chloroform (Clo)	0.028	0.4	ND	1
Benzene (Ben)	0.012	0.4	ND	1	1-2-Dichloroethane (12-Dich)	0.024	0.4	ND	1
Heptane (Hep)	0.012	0.4	ND	5000	Trichloroethylene (TriClEth)	0.072	0.4	ND	1
Toluene	0.036	0.4	ND	890	Xylenes (Xyl)	0.012	0.4	ND	2170

U1 Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
 DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

 Brandon Starr, Quality Assurance Manager
 Wed, 19 Feb 2025 18:11:26 -0800


*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are reported on a per sample basis, unless otherwise indicated. The results are not intended to be used for the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.