

Certificate of Analysis

Page: 1 of 1

Loud LLC

125 McCaskil Rd
Carthage, NC 28324
mkmcleod10@gmail.com
910-585-0836

Sample: 11-17-2023-41822

Sample Received: 11/17/2023;
Report Created: 11/20/2023; Expires: 11/19/2024

Amnesia Haze THCa
Plant, Flower - Cured



20.191 %

Total THC

0.279 %

Δ-9 THC

24.625 %

Total Cannabinoids

<LOQ %

Total CBD

Cannabinoids

Complete

(Testing Method: HPLC, CON-P-3000)

Date Tested: 11/17/2023

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0481	0.0721	ND	ND
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.0481	0.0721	0.279	2.788
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0481	0.0721	22.705	227.048
Δ-9-Tetrahydrocannabiphorol (Δ-9-THCP)	0.0481	0.0721	ND	ND
Δ-9-Tetrahydrcannabivarin (Δ-9-THCV)	0.0481	0.0721	ND	ND
Δ-9-Tetrahydrcannabivarinic Acid (Δ-9-THCVA)	0.0481	0.0721	0.126	1.260
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0481	0.0721	ND	ND
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0481	0.0721	ND	ND
9R-Hexahydrocannabinol (9R-HHC)	0.0481	0.0721	ND	ND
9S-Hexahydrocannabinol (9S-HHC)	0.0481	0.0721	ND	ND
Tetrahydrocannabinol Acetate (THCO)	0.0481	0.0721	ND	ND
Cannabidivarin (CBDV)	0.0481	0.0721	ND	ND
Cannabidivarinic Acid (CBDVA)	0.0481	0.0721	ND	ND
Cannabidiol (CBD)	0.0481	0.0721	ND	ND
Cannabidiolic Acid (CBDA)	0.0279	0.0721	<LOQ	<LOQ
Cannabigerol (CBG)	0.0279	0.0721	<LOQ	<LOQ
Cannabigerolic Acid (CBGA)	0.0481	0.0721	1.289	12.894
Cannabinol (CBN)	0.0481	0.0721	ND	ND
Cannabinolic Acid (CBNA)	0.0481	0.0721	ND	ND
Cannabichromene (CBC)	0.0481	0.0721	ND	ND
Cannabichromenic Acid (CBCA)	0.0481	0.0721	0.226	2.260
Total			24.625	246.250

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.


Total THC Measurement of Uncertainty: ± 0.050%

Total CBD Measurement of Uncertainty: ± 2.000%

THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers



New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC
17025:2017


Natalie Siracusa
Laboratory Director

Powered by
reLIMS
info@relims.com